Orroll Guitars 1:10

Jarrell Guitars Ltd

Canada Office Greg Binions

19126 Centreville Creek Road

Caledon, Ontario, Canada L7K2N1

Phone: 1-416-271-1005

Fax: 1-905-584-7235

Email: greg@jarrellguitars.com

China Office

357 Xian Xia Rd. Fl.6

Shanghai, China 200336

Mobile: 0086-13917291247

Tel: 0086-21-62743066

Fax: 0086-21-62416757

Email: phillip@jarrellguitar.com

U.S.Phone: 1-229-232-8371

www.jarrellguitars.com

Copyright 2010 Jarrell Guitars Ltd







" Define Your Style "

1-2 Define Your Style

3-8 Premium Exotic, One Piece Solid Wonders

9 - 10 Spruce Tops, JzH-1 X

11 - 12 Fine Art,

13 - 14 (Fashion) (JzS-1) In your Dreams

15 - 16 (Fashion) Bubinga, and Maple Quilt Tops

17 - **18** (Fashion) Eyes

19 -20 (Fashion) Hot Flamz & Warp Speed

21 - 22 (Spirit) "The MedicineMan"

23 -24 J Classic Single Cutaway

25 - 28 All Tube Amps

29 - 34 Acoustic Beauty, Jarrell Custom Case

35 - 38 Mics with Style

39 - 45 AII

Copyright 2010 Jarrell Guitars Ltd™

"Premium Exotic"

These guitars are made of

100% natural splender. Each piece of
selected wood is an example of
nature's revered excellence. They are
the diamonds of the wood world.

This one piece solid African Rosewood
guitar, was first sculpted by
mother earth for somewhere between
two, and three thousand years.

The figured designs are actually
rings. (AAAAA) Quality

Gold Seymour Duncan Blackouts
Point Classic Tremolo System
Back Locking tuners
Ebony Wood: Finger Board,
Tuner Knobs, Truss Rod Cover
& Pick Up Frames
Hard Maple Neck
Jarrell Logo, Triple Flame Headstock
Symbol & Finger Board Birds, All Inlayed Abalone

The Back of this one piece
African Rosewood
body is truely the other
side of the front.

ZS-2 X Prem Rosewood









These guitars are adorned with images from the fine art photography collection of Phillip Jarrell A very limited number will be signed by the artist.

Limited Edition Fine Art Collectibles

The solid body ZS-1 Trinity, offers the power of three. Faith, Hope, and Inspiration.

Back Image: Faith is "The Seed Keeper", nuturing seeds of springtime through the dark night of the winter.

Front Image: "Hope" is holding the light of life, while the stormy world rages. The Third, is Inspiration that comes to you as a result of the first two., That Inspiration becomes you, and that is your gift to give through the music you create.





ZS-1 TRINITY

Solid Mahogany Body
Maple & Purple wood Neck
Ebony Wood: Finger Board,
Tuner Knobs, Truss Rod Cover &
Pick Up Frames
Midnight Black Hardware
TonePros Wrap Around Bridge
Back Locking Tuners
Seymour Dunca Blackouts
Jarrell Logo & Triple Flame
Symbol Inlayed Abalone

Seymour Duncan

Seymour Duncan

Seymour Duncan

Seymour Duncan

(E-Pu 1)

Jarrell Bucker Pick Ups

ZH-1 Four Beauties
Mahogany Carved Back & Sides
Maple & Purple wood Neck
Ebony Wood: Finger Board,
Tuner Knobs, Truss Rod Cover &
Pick Up Frames
Golden Hardware
TonePros Wrap Around Bridge
Back Locking Tuners
Jarrell Buckers: by Seymour Duncan
Jarrell Logo & Triple Flame
Symbol Inlayed Abalone



















Supreme Tube 50 W Lead

Speakers2*12"Celestion"G12T-75", or Eminence 8 ohm Speaker

Channels Dual Selectable Channels (Normal and Drive) Reverb, Presence, Lineout Jack, Effect loop, 4Ω 8Ω 16Ω Speaker output



Output 30 watts

Weight: 19.2KG

1 Channel

Tube Complement3 (12AX7; 2x 6L6GC) Speakers12"Celestion"Vintage 30" 8 ohm Speaker or Emine

Dimensions: 58.9 x 30.8 x5 3.8 (cm)


Fat,Reverb,Presence,Preamp Out,Power Amp in Gain,Fat Switch,Treble, Bass,Middle,Volume, Reverb,Pre











AJA-O-110



(45)



Solid Engelmann Spruce Top, Solid African Mohogany Back & Sides, Fully Scalloped Forward-X Bracing, Wilkinson Tuners

Fretboard, Bone Nut & Compensated, Bone Saddle, 14th Fret Neck Joint

000 Style

Solid Engelmann Spruce Top, African Mahogany Back & Sides, Fully Scalloped Forward-X Bracing, Classic Butterbean Tuners, Dovetail Neck Joint ,Grained Dovetail Neck Joint, Grained Ivoroid Binding, One Piece Mahogany, Neck Rosewood Ivoroid Binding, Mahogany Neck, Rosewood Fretboard, Bone Nut & Compensated Bone Saddle.14th Fret Neck Joint

(46)

C-3

AJA-O-29



Style: 00A0-Style Top: Solid Sitka Spruce, Back & Sides:Solid Rosewood, Neck:1-Piece Mahor Finish: Glossy, Rosette: Abalone, Purfling: Abalone, Fretboard: Ebony, Frets:Nickel, 20, Tuners:Gold, Open-Geared Butterbean Bridge: Ebony, Long Saddle Truss Rod Yes , Strings: D'Addario Nut, Width:Bone, 1-3/4", Scale Length: 24.9",

Depth: 4", Upper Bout:11.5", Lower Bout: 15-1/8", Body Length: 19.5" . Total Length: 39.5"

AJA-D-230SM

AJA-D-210



(47)

3 keylocks and 3 unkeylocks)



Solid Engelmann Spruce Top African, Mahogany Back & Sides, Fully Scalloped Grained Ivoroid Binding Mahogany Neck, Rosewood Fretboard, Bone Nut & Compensated Bone Saddle ,14th Fret Neck Joint

AJA-D-229



Style: Dreadnought Top: Solid Sitka Spruce Back & Sides: Solid Rosewood Neck: 1-Piece Mahogany Finish: Glossy Rosette: Abalone Purfling: Abalone Fretboard: Ebony Frets: Nickel, 20 Tuners: Gold, Open-Geared Butterbean Bridge: Ebony, Long Saddle Truss Rod Yes Strings: D'Addario EJ16Nut, Width: Bone, 1-3/4" Scale Length:25-3/8"Depth: 5" Upper Bout:11.75" Lower Bout:15.5"

Solid Engelmann Spruce Top, Solid African Mohogany Back & Sides, Fully Scalloped Forward-X Bracing, Wilkinson Tuners, Dovetail Neck, Joint Grained Ivoroid Binding, One Forward-X Bracing, Classic Butterbean Tuners, Dovetail Neck Joint Piece Mahogany Neck, Rosewood Fretboard, Bone Nut & Compensated Bone Saddle 14th Fret Neck Joint

AJA-Single Cutaway

000 Style

Solid Engelmann Spruce Top African Mahogany Back & Sides Fully Scalloped Forward-X Bracing Classic Butterbean Tuners

Dovetail Neck Joint Grained Ivoroid Binding Mahogany Neck Rosewood Fretboard Bone Nut & Compensated Bone Saddle 14th Fret Neck Joint

Jarrell Triple Flame Headstock Symbol

(49)







Jarrell Standard Acoustic Guitar Case

41 'Acoustic Guitar Case, Deluxe dreadnought guitar case

(grey-blue ABS shell, Dark grey 7mm super plush lining interio

Fishman Pick up & EQ.

Jarrell

Tube Condenser Microphone

"Diva"

For The Master Vocal



When Impressive is Required,



J9M-700



Description

JM-700 is a professional condenser microphone, which adopts the exacting complete electronic circuit control and gold-plated diaphragm capsule. With a good cardiold polar pickup pattern high output, low self- noise, and the accurate reproduction of even the most subtle sound, the mic is suitable especially for studios, recording studios, broadcasting stations, stage performanc es and computer, absolutely fulfil the requirement of high quality for broadcasting and recording.

Specifications

Element: 324Pressure Gradient Transducer Polar Pattern: Uni-directional Frequency Response: 20Hz-20MHz Sensitivity: 34485268 (048-1VPa at 1kHz) Output Impedance: 150(12:07) (at 1kHz) Load Impedance: 150(12:07) (at 1kHz) Hax. Imput SPL: 1324B (at 1kHz 51% T.H.D) SN Ratio: 78dB Phantom Power Requirement: 48V DC Phantom Power Electrical Current: 3mA hax Weight: 3458 (spot) Jementer: 6456156mm



Description

48.5000, M-5.000A and 48.5000B are professional confesser are in bones, which along the exacting contested electronic circuit conf PET and gold-plated disphragan capasia. The microphones are high capture, low self-enes, and the accurate reproduction of even the residint sound, satisface expectably for studies, recordingstations, transdicasting stations, steps preformance and compating, should, stiff the requirement of high quality for broadcasting and recordin Besides, JM-2000 has a twi-directional polar pattern, JM-2000A in Uni-directional polar pattern, it also has to workflows, 36-2000B has there polar patterns. Usi, Bi and Orest directional, it has these southerns.

Specifications

JM 2002/2000A/2000B Elements: (3.4 Pressure Straffent Transducers Place Pattern Bei derectioner (JM 2000B-JM 2000B). JM 1888 (house (JM 2000B) Prespency Response: 2015-20546; Semilitriy: 3-5481-3548 (JM 2016B) Prespency Response: 2015-20546; Semilitriy: 3-5481-3548 (JM 2016B) Prespency Response: 2015-20548; Semilitriy: 3-5481-3548 (JM 2016B) Presponse: 2015-20548 (JM 2016B) Presponse: 2015-205

Diva 1





Description

(Diva 1). As as special appearance with its gold sreen, black housing; With Hi-Fi. Iow noise vacuum tube & high quality WithA capacitor, the mic can create soft. smooth and clear sound; High sensitivity, wide dynami range, without idsortion and with a wide frequency response; Nine type of pickup patterns with low cut filter and -10dli low frequency attenuation switch; Use this one Divas of broadcasting, TV stations, film making, recording studies, stage performances and other professional Diva situations.

Specifications

Polar Pattern: UniBilOmniletc Frequency
Response: 20Hz-20kHz Sensitivity:
-34dB±2dB(0dB=1V/Pa at 1kHz) Output
Impedance: 50:130% (at 1kHz) Load Impedance: ≥100
Equivalent Noise Level: 1314Hz dB A S/
T-HLD) Current Consumption: 3mA





Description

The USB studio condenser microphone features an onboar high quality Analog-to-Digital converter and USB output. It is perfect for recording your music, or any acoustic audio source on your favorite DAW (Digital Audio Workstation). The USB studio condenser microphone faithfully reproduces a variety of sound sources including yocal, acoustic instrument and overhead cymbals, to name a few. The extended frequency and fast transient response insures an accurate reproduction with linear characteristics from bottom to top. Features: Studio Condenser with USB Digital Output. Compatible with any computer based Digital adulty Workstation. The extremely detailed sound reproduction makes it ideal for recording vocal, acoustic instrument and just preventing the production makes it ideal for recording vocal, acoustic instrument and just place to the production of the production and the pr

Specifications

ement: Back Electret Condenser Polar Pattern: Cardioi equency Response: 20-18kHz Diaphra gm Thickness:





JRSM-3 is a newly designed double-ribbon microphone especially for contemporary studies. This interprehen features smooth frequency response, fine balancing and whole scene sound setting. With largest SPL over than 135 dB, it can be applied in some situations where ribbon microphone was not qualified before. This ribbon microphone has a modern metallic appearance, projects splendid shine and attractiveness. Features: Doubler ribbon 2mt hicks, 900°/s; pure aliminum ribbon dilaphragm. Ability of handling light SPL. No inter electronic components overloaded, distortion is eliminated under maximum SPL. Low surplus noise. Ribbon components are not subject to the influence of humidity or temperature. High frequency will never be distorted. The front and rear of microphone have the same level of sensitivity. Suitablist Situations: Close-up sound pleidun, Electronic gultar or acoustic guitar. Drum bass and meeting. Percussion. Brass. Strings. Acoustic plano, harp. Live broadcasting, direct digital recording.

Specifications
Type: High performance Dual Ribbon Microphone Polar pattern B-directional Frequency Response: 300E-18/dtx Sensitivity: -53d852dfi (Odle*1VIPa at 14Hz) fatted Impedance: S200E Recommended Identications and the state of the plant pattern of the state of the plant plant of the plant plant of the plant plant

:>1000Ω Self Noise: 17dB A Max. Input SPL: 137dB (at 1kHz≤1% T.H.D) Net Weight: 363g Body Dimensions:

IM-2600

Specifications Element: Dynamic

Polar Pattern: Uni-directional
Frequency Response: 50Hz-16kHz
Sensitivity: -51dB±3dB(0dB=1V/Pa at 1kH
Output Impedance: 6000±30%(at 1kHz)



JM-55

M-7

-

Description

JM-55 adopts a back electret condenser cartridge, and powered by AA battery. The touch noise is very low as its cartridge adopts the shockproof design With perfect and vivid sound, JM-55 can be used for singing, home Karaoke, big concert, performance and other similar situations; Turn on/off without lound noise thanks to the perfect disposal between battery

On/Off toggle switch and sound performance. JM-55 is perfect choice for performance with smooth sound, rich and powerful

Specifications:

lement: Back Electret Condenser Polar Pattern: Cardioid Frequency Response: 30Hz-18kHz Sensitivity: 43 3dB (0dB≔1V/Pa Output Impedance: 200 Max. Input SPL: 126dB (at 1kHz 1% T.H.D

S/N Ratio: 72dB Phantom Power Requirement: DC 1.5V AA Battery
Body Dimension: about 50 (Max diameter)x185mmUsage:
1.Alm the microphones toward the desired sound and away from unwanted

1.aum the microphones toward the desired sound and away from unwanted source 2.Locate the microphone as close as practical to the desired sound source. 3.Work close to the microphone for extra bass response.

4.Use only one microphone per sound source.

5.Locate microphones at least three times as far from other microphones as from the sound source.6.Use as few microphones as practical. 7.Place microphones far from sound-reflecting surfaces.

8.Add a windscreen when using the microphone outdoors
For closeup speech, or vocals.

Avoid excessive handling to minimize mechanical noise.

Page 35 Page 36





(JZH-1 Chambered) 5.5 cm Premium Exotic Headstock Shape: Jarrell Crown Headstock Symbol: "The Triple Flame" Truss Rod Cover: Ebony Wood Tuners: Optional Models (Sperzel) / J-Locking Nut: Black TUSQ® XL Graph Tech Neck Wood: Hard Maple Neck Construction: Deep Set FingerBoard wood: Ebony is Stand Number of Frets: 22 Standard FingerBoard Radius: 12" Neck Back Color: Natural Satin, clean, smooth feel Scale Length : 24 3/4 "/ 62.865 cm Body Wood, Back and Sides: One Piece, 3.5 cm, Mahogany back, Carved hollow Body Wood Arch Top: 2 cm Maple top No F-holes Body Paint Color: Clear Poly Body Sides Color: Black Body Binding: White Pick ups: NECK: Seymour Duncan Pick ups: BRIDGE: Seymour Duncan Pick up Frames: Ebony Wood Knobs Function: 2 Volume, 1 Tone, Alph 500k pods Switch: 3 way Jazz Tail piece Tail Piece : TonePros JZH-1 X (Sp&M) Bridge: TonePros. Tune-O-Matic SH-2/TB-11 Seymour Duncan Saddles: GraphTech / Tonepros

Strap Holders: Strap Locking System

Pick Ups vary in each model







JzS-1 Blue Eves Pick ups: (N) Phat Cat p-90 (B) TB -11Seymour Duncan JzS-1 Red Eves Pick ups: (N) P-90/PA-TB1 (B) TB-4/TB11 Sevmour Duncan JzCh 1 BB Pick ups: (N) Phat Cat P-90 (B) TB-6 Seymour Duncan

> JzCh 1 ZB Pick ups: (N) SH-6 (B) TB-6 Seymour Duncan

> > JzCh 1 MB (B) TB-6 /TB-4

JZH-1 X (S&M) (S&P) (S&A)

Tail Piece: TonePros

Pick ups vary per model.

Bridge: TonePros, Tune-O-Matic

Saddles: GraphTech / Tonepros

Pick Ups vary in each model

Strap Holders: Strap Locking System

(JZH-1) 5.5 cm Semi Hollow Body (Premium Exotic) Same as JZH-1, But with Exotic woods such as: The highest quality: Spruce, Aftrican Rosewood Zebra wood, Purple wood, Alder, and Mahagany. Solid pieces, Front & Back, No Veneers, Paint Clear or Color Translucrnt, to see the wood.

(10d)

(42)



Pick ups: (N) P-90 /SH-1 Seymour Duncan



(JZS-2 Bass) 4.6 cm Flat Top Solid Body (Fashion & Exotic) No#

Body & Neck cut streamline at connection(Easy access)

Headstock Shape: Jarrell Crown Headstock Symbol: "The Triple Flame"

Truss Rod Cover: Ebony Wood
Nut: Black TUSQ® XL Graph Tech

Neck Wood: Hard Maple

Neck Construction: Deep Set

FingerBoard wood: Ebony is Stand

Number of Frets: 24

FingerBoard Radius: 12"

Neck Back Color: Natural Satin, clean, smooth feel

Body Wood, One solid piec e 4.6 cm thick

Body Paint Color: Clear Poly

Pick ups: SJB-2 Set / STC-2P Active EQ Seymour Duncan

Pick ups: AJJ-2 Set /STC-2P Active EQ Seymour Duncan

Pick up Frames: Ebony Wood Saddles: GraphTech / Tonepros

Strap Holders: Strap Locking System

Pick Ups vary in each model



JzS-2 Flamz

Black Point Classic Tremol

JZs-2 (6KPAZ)

(N) SH-6N (B) PATB 2

JZS-2 (BKOuts) Radius 16"

(Blackouts set) Seymour Duncan



JzS-2 Warp Speed
Black Point Classic Tremol
JZs-2 (6xPA2)
(N) SH-6N (B) PATB 2
JZS-2 (BkOuts) Radius 16"
(Blackouts set) Seymour Dunca

Premium Exotic

JzS-2 XP Gold (African Rosewood) ng
Gold Point Classic Tremolo
Pick ups: (N)SH-PG1 (B) SH-3 Gold Covers
Seymour Duncan
Speizel Back Lock Tuners Gold

Premium Exotic

JzS-2 x (African Rosewood) ng

Bk Point Classic Tremolo

(Blackouts set) Black Covers

Seymour Duncan

Speizel Back Lock Tuners Black

Premium Exotic

JzS-2 (African Rosewood) ng
Gold Point Classic Tremolo

Gold Point Classic Tremolo

Pick ups: (N)SH-PG1 (B) SH-3 Gold Covers

Seymour Duncan

Speizel Back Lock Tuners Gold

Premium Exotic

JzS-2 (Zebra wood) ng

Bk Point Classic Tremolo
Pick ups: (N) PATB-1 (B) TB-10
Seymour Duncan
Speizel Back Lock Tuners Black

Premium Exotic
JzS-2 (Zebra wood) ng
Pick ups: (N)SH-6 (B) SH-6 Gold Covers
Seymour Duncan
Speizol Back Lock Tuners Gold

(9)



(JzS-2 Flamz Bass)
Pick ups:
SJB-2 Set
STC-2P Active EQ
Seymour Duncan

(JZS-2 Bass) Exotic

Pick ups: AJJ-2 Set STC-2P Active EQ Seymour Duncan



4.cm Flat Top Solid Body
(Premium Exotic)

Body & Neck cut streamline at connection(Easy access)

Tail Piece : TonePros

Bridge: TonePros, Tune-O-Matic -Models differ)

Headstock Shape: Jarrell Crown

Headstock Symbol: "The Triple Flame"

Truss Rod Cover: Ebony Wood

Tuners: Optional Models (Sperzel) / J-Locking

Nut: Black TUSQ® XL Graph Tech

Neck Wood: Hard Maple

Neck Construction: Deep Set

FingerBoard wood: Ebony is Stand

Number of Frets: 22 Standard

FingerBoard Radius: 16"

Neck Back Color: Natural Satin, clean, smooth feel

Scale Length : 24 3/4 "/ 62.865 cm

Body Wood, One solid piec e 4.6 cm thick

Body Paint Color: Clear Poly

Pick ups: NECK: Seymour Duncan

Pick ups: BRIDGE: Seymour Duncan

Pick up Frames: Ebony Wood

Saddles: GraphTech / Tonepros

Strap Holders: Strap Locking System

Pick Ups vary in each model

2 Volume, 2 Tone Knobs

3 way switch

1 mini 3 way switch each pick up on/on/on



Premium Exotic JzS-3
Black Point Classic Tremol
JZs-3(6xPA2)
(N) SH-6N (B) PATB 2
JZS-2 (BkOuts) Radius 16"
(Blackouts set) Seymour Duncan

CJAZ-1000 Depth:13cm/5.12 Inch Body Widths: 35cm/13.78 Inch Body Widths:24cm/9.45 Inch C-4 Body Widths: 40cm/15.75 Inch Total Length:105cm/41.34 Inch About Top: Flat Top CJA-ES003 Depth: 16cm/6.3 Inch Body Widths: 21cm/8.27 Inch Body Widths: 29cm/11.42 Inch Body Widths:40cm/15.75 Inch C-1 Total Length: 107cm/42.13 Inch About Top: Arch Top CJA-ES002 LP Shape, GOLD ,5-ply wood construction ,Textured vinyl corners ,Black plush lining Depth: 13cm/5.12 Inch Body Widths: 21cm/8.27 Inch Body Widths: 29cm/11.42 Inch C-4 About Top: Arch Top C-AD-001



Page 41

About Top: Arch Top

